

UE DECLARATION OF CONFORMITY

Nr. 002

The company **Euro3Plast S.p.A.** of viale del lavoro, 45 - 36048 Ponte di Barbarano (VI) vat n. 00331710244

DECLARES

under its sole responsibility that the items listed below (table and floor-standing mobile lights with polyethylene structure and 60 LED RGB module, 12V, IP67, CL.III)

A4307 – RGB LED LIGHT KIT
A4447 - RGB LED LIGHT KIT SENZA
TRASFORMATORE
A4573 - RGB LED LIGHT KIT OPALINO

ikon rgb led light in/out
ilie rgb led light in/out
kiam rgb led light in/out
kube rgb led light in/out
quadrum rgb led light in/out
sfera rgb led light in/out
buba rgb led light in/out
roo rgb led light in/out
bartolomeo rgb led light in/out
godot rgb led light in/out
frozen rgb led light in/out
ohla rgb led light in/out
t-ball rgb led light in/out
cubalibre rgb led light in/out

drop rgb led light in/out
gumball rgb led light in/out
horn rgb led light in/out
humprey rgb led light in/out
ice-cap rgb led light in/out
nicole rgb led light in/out
rebelot rgb led light in/out
saving space vase rgb led light in/out
big cut rgb led light in/out
jetlag rgb led light in/out
four lamp rgb led light in/out
airball rgb led light in/out
bold rgb led light in/out
fura rgb led light in/out
momo rgb led light in/out
settembre rgb led light in/out
fade rgb led light in/out
boom rgb led light in/out

to which this declaration refers, COMPLIES with the following regulations:

EN 60598-2-4:2018-03 used in conjunction with EN 60598-1:2021-04
 EN 55015:2019+A11:202
 EN 61000-3-2:2019+A1:2021
 EN61000-3-3:2013+A1:2019
 EN 61547:2010
 EN 63000:2018-12

and therefore meet the essential requirements of the following directives:

2014/53/UE -2011/65/UE e 2017/2102/UE – 2012/19/UE – 2009/125/CE

Ponte di Barbarano (VI), 01/09/2022

Boscato Alvisè (administrator)



euro3plast spa

viale del lavoro, 45
 36048 ponte di barbarano (vi) • italy
 tel +39 0444 788200 • fax +39 0444 788290

r.e.a. VI n. 125725
 cap.soc € 3.000.000 int. vers.
 reg.imp. VI n. 00331710244

pi/cf/vat (IT) 00331710244
 pec: euro3plast@pec.confindustriavicenza.it
 www.euro3plast.com • info@euro3plast.com

UE DECLARATION OF CONFORMITY

Nr. 003

The company **Euro3Plast S.p.A.** of viale del lavoro, 45 - 36048 Ponte di Barbarano (VI) vat n. 00331710244

DECLARES

under its own responsibility that the following articles (mobile floor/table lighting fixtures E27, 220-240V, IP67, CL.II), supplied with 8,5W LED bulb

A4280 – KIT LUCE STYLE OUTDOOR (cold light)
A4182 – KIT LUCE PLUST OUTDOOR (cold light)
A4688 – KIT LUCE PLUST OUTDOOR (natural light)
A4572 – KIT LUCE PLUST OUTDOOR OPALINO (cold light)
A4690 – KIT LUCE PLUST OUTDOOR OPALINO (natural light)

ikon light outdoor
ilie light outdoor
kiam light outdoor
kube light outdoor
quadrum light outdoor
sfera light outdoor
buba light outdoor
roo light outdoor
bartolomeo light outdoor
frozen light outdoor
ohla light outdoor
airball light outdoor
spot light outdoor
t-ball light outdoor
bold light outdoor
cubalibre light outdoor
drop light outdoor
gumball light outdoor

horn light outdoor
humprey light outdoor
ice-cap light outdoor
nicole light outdoor
rebelot light outdoor
saving space vase light outdoor
big cut light outdoor
harbo light outdoor
jetlag light outdoor
boyo light outdoor
fura light outdoor
four lamp light outdoor
duo light outdoor
momo light outdoor
settembre light outdoor
fade light outdoor
boom light outdoor

to which this declaration refers, COMPLIES with the following regulations:

EN 60598-2-4:2018-03 used in conjunction with EN 60598-1:2021-04
 EN 63000:2018-12

and therefore meet the essential requirements of the following directives:

2014/35/UE – 2011/65/UE e 2017/2102/UE – 2012/19/UE – 2009/125/CE

Ponte di Barbarano (VI), 01/09/2022

Boscato Alvisè (administrator)



euro3plast spa

viale del lavoro, 45
 36048 ponte di barbarano (vi) • italy
 tel +39 0444 788200 • fax +39 0444 788290

r.e.a. VI n. 125725
 cap.soc € 3.000.000 int. vers.
 reg.imp. VI n. 00331710244

pi/cf/vat (IT) 00331710244
 pec: euro3plast@pec.confindustriavicenza.it
 www.euro3plast.com • info@euro3plast.com

UE DECLARATION OF CONFORMITY

Nr. 004

The company **Euro3Plast S.p.A.** of viale del lavoro, 45 - 36048 Ponte di Barbarano (VI) vat n. 00331710244

DECLARES

under its own responsibility that the following articles (mobile floor/table lighting fixtures E27, 220-240V, IP67, CL.II), supplied with 8.5W LED bulb

A4279 – KIT LUCE STYLE INDOOR (cold light)

A4183 – KIT LUCE PLUST INDOOR (cold light)

A4689 – KIT LUCE PLUST INDOOR (natural light)

ikon light indoor	drop light indoor
ilie light indoor	horn light indoor
kiam light indoor	humprey light indoor
kube light indoor	ice-cap light indoor
quadrum light indoor	nicole light indoor
sfera light indoor	rebelot light indoor
buba light indoor	saving space vase light indoor
roo light indoor	big cut light indoor
godot light indoor	harbo light indoor
ohla light indoor	jetlag light indoor
boyo light indoor	fura light indoor
frozen light indoor	bold light indoor
t-ball light indoor	four lamp light indoor
cubalibre light indoor	fade light indoor

to which this declaration refers, COMPLIES with the following regulations:

EN 60598-2-4:2018-03 used in conjunction with EN 60598-1:2021-04

EN 63000:2018-12

and therefore meet the essential requirements of the following directives:

2014/35/UE – 2011/65/UE e 2017/2102/UE – 2012/19/UE – 2009/125/CE

Ponte di Barbarano (VI), 01/10/2021

Boscato Alvisè (administrator)



euro3plast spa

viale del lavoro, 45
36048 ponte di barbarano (vi) • italy
tel +39 0444 788200 • fax +39 0444 788290

r.e.a. VI n. 125725
cap.soc € 3.000.000 int. vers.
reg.imp. VI n. 00331710244

pi/cf/vat (IT) 00331710244
pec: euro3plast@pec.confindustriavicenza.it
www.euro3plast.com • info@euro3plast.com



UE DECLARATION OF CONFORMITY

Nr. 009

The company **Euro3Plast S.p.A.** of viale del lavoro, 45 - 36048 Ponte di Barbarano (VI) vat n. 00331710244

DECLARES

under its own responsibility that the following articles (mobile floor/table lighting fixtures E27, 220-240V, IP67, CL.II), supplied with 11,5W RGB LED bulb

A4720 - KIT LUCE STYLE OUTDOOR RGB + APP WIZ
A4711 - KIT LUCE STYLE OUTDOOR RGB + TELECOMANDO
A4722 - KIT LUCE PLUST OUTDOOR RGB + TELECOMANDO
A4729 - KIT LUCE PLUST OUTDOOR RGB OPALINO + TELECOMANDO
A4724 - KIT LUCE PLUST OUTDOOR RGB + APP WIZ
A4730 - KIT LUCE PLUST OUTDOOR RGB OPALINO + APP WIZ

ikon light outdoor	horn light outdoor
ilie light outdoor	humprey light outdoor
kiam light outdoor	ice-cap light outdoor
kube light outdoor	nicole light outdoor
quadrum light outdoor	rebelot light outdoor
sfera light outdoor	saving space vase light outdoor
buba light outdoor	big cut light outdoor
roo light outdoor	harbo light outdoor
bartolomeo light outdoor	jetlag light outdoor
frozen light outdoor	boyo light outdoor
ohla light outdoor	fura light outdoor
airball light outdoor	four lamp light outdoor
spot light outdoor	duo light outdoor
t-ball light outdoor	momo light outdoor
bold light outdoor	settembre light outdoor
cubalibre light outdoor	fade light outdoor
drop light outdoor	boom light outdoor
gumball light outdoor	

to which this declaration refers, COMPLIES with the following regulations:

EN 60598-2-4:2018-03 used in conjunction with EN 60598-1:2021-04
 EN63000:2018-12

and therefore meet the essential requirements of the following directives:

2014/53/UE -2011/65/UE e 2017/2102/UE - 2012/19/UE - 2009/125/CE

Ponte di Barbarano (VI), 01/09/2022

Boscato Alvise (Amministratore)

euro3plast spa

viale del lavoro, 45
 36048 ponte di barbarano (vi) • italy
 tel +39 0444 788200 • fax +39 0444 788290

r.e.a. VI n. 125725
 cap.soc € 3.000.000 int. vers.
 reg.imp. VI n. 00331710244

pi/cf/vat (IT) 00331710244
 pec: euro3plast@pec.confindustriavicenza.it
 www.euro3plast.com • info@euro3plast.com



UE DECLARATION OF CONFORMITY

Nr. 010

The company **Euro3Plast S.p.A.** of viale del lavoro, 45 - 36048 Ponte di Barbarano (VI) vat n. 00331710244

DECLARES

under its own responsibility that the following articles (mobile floor/table lighting fixtures E27, 220-240V, IP20, CL.II), supplied with 11,5W RGB LED bulb

A4719 - KIT LUCE STYLE INDOOR RGB + APP WIZ	
A4710 - KIT LUCE STYLE INDOOR RGB + TELECOMANDO	
A4721 - KIT LUCE PLUST INDOOR RGB + TELECOMANDO	
A4723 - KIT LUCE PLUST INDOOR RGB + APP WIZ	
ikon light indoor	drop light indoor
ilie light indoor	horn light indoor
kiam light indoor	humprey light indoor
kube light indoor	ice-cap light indoor
quadrum light indoor	nicole light indoor
sfera light indoor	rebelot light indoor
buba light indoor	saving space vase light indoor
roo light indoor	big cut light indoor
godot light indoor	harbo light indoor
ohla light indoor	jetlag light indoor
boyo light indoor	fura light indoor
frozen light indoor	bold light indoor
t-ball light indoor	four lamp light indoor
cubalibre light indoor	fade light indoor

to which this declaration refers, COMPLIES with the following regulations:

EN 60598-2-4:2018-03 used in conjunction with EN 60598-1:2021-04

EN 63000:2018-12

e quindi rispondente ai requisiti essenziali delle direttive:

2014/53/UE – 2011/65/UE e 2017/2102/UE – 2012/19/UE – 2009/125/CE

Ponte di Barbarano (VI), 01/10/2021

Boscato Alvise (Administrator)


euro3plast spa

viale del lavoro, 45
36048 ponte di barbarano (vi) • italy
tel +39 0444 788200 • fax +39 0444 788290

r.e.a. VI n. 125725
cap.soc € 3.000.000 int. vers.
reg.imp. VI n. 00331710244

pi/cf/vat (IT) 00331710244
pec: euro3plast@pec.confindustriavicenza.it
www.euro3plast.com • info@euro3plast.com

kit luce in PC per interni indoor PC light kit



Il kit luce è venduto con una lampada di classe energetica E.

The light kit is sold with a bulb of the energy class E.

art. A4279


dettagli • details

piastra in policarbonato • polycarbonate plate
cavo trasparente • transparent cable
pulsantiera a pedale • foot switch
spina europea bipolare • european bipolar plug
lunghezza cavo • wire length: **cm 370**

luce • light
1 x 8,5 W



kit luce in PC per esterni outdoor PC light kit



Il kit luce è venduto con una lampada di classe energetica E.

The light kit is sold with a bulb of the energy class E.

art. A4280

dettagli • details

piastra in policarbonato • polycarbonate plate
guscio in policarbonato • polycarbonate shell
guarnizione a tenuta • gasket seal
cavo nero • black cable
spina schuko antispruzzo • anti-splash
lunghezza cavo • wire length: **cm 280**

luce • light
1 x 8,5 W



kit luce in PC RGB E27 per interni indoor PC RGB E27 light kit



Il kit luce è venduto con una lampada di classe energetica F.

The light kit is sold with a bulb of the energy class F.

art. A4719

dettagli • details

piastra in policarbonato • polycarbonate plate
cavo trasparente • transparent cable
pulsantiera a pedale • foot switch
spina europea bipolare • european bipolar plug
lunghezza cavo • wire length: **cm 370**

luce • light
1 x 8 W - 50/60 Hz



kit luce in PC RGB E27 per esterni outdoor PC RGB E27 light kit



Il kit luce è venduto con una lampada di classe energetica F.

The light kit is sold with a bulb of the energy class F.

art. A4720

dettagli • details

piastra in policarbonato • polycarbonate plate
guscio in policarbonato • polycarbonate shell
guarnizione a tenuta • gasket seal
cavo nero • black cable
spina schuko antispruzzo • anti-splash
lunghezza cavo • wire length: **cm 280**

luce • light
1 x 8 W - 50/60 Hz



kit luce in PC RGB E27 con telecomando per interni indoor PC RGB E27 light kit with remote control



Il kit luce è venduto con una lampada di classe energetica F.

The light kit is sold with a bulb of the energy class F.

art. A4710

dettagli • details

piastra in policarbonato • polycarbonate plate
telecomando • remote control
cavo trasparente • transparent cable
pulsantiera a pedale • foot switch
spina europea bipolare • european bipolar plug
lunghezza cavo • wire length: **cm 370**

luce • light
1 x 8 W - 50/60 Hz



kit luce in PC RGB E27 con telecomando per esterni outdoor PC RGB E27 light kit with remote control



Il kit luce è venduto con una lampada di classe energetica F.

The light kit is sold with a bulb of the energy class F.

art. A4711

dettagli • details

piastra in policarbonato • polycarbonate plate
guscio in policarbonato • polycarbonate shell
telecomando • remote control
guarnizione a tenuta • gasket seal
cavo nero • black cable
spina schuko antispruzzo • anti-splash
lunghezza cavo • wire length: **cm 280**

luce • light
1 x 8 W - 50/60 Hz



kit luce • light kit

Kit LED RGB a batteria per
interni/esterni bluetooth




art. A4744

[dettagli • details](#)

Bluetooth RGB LED light kit with
battery **indoor/outdoor**

kit led rgb powered by smart&green
autonomia 8 ore circa alla massima intensità
autonomy 8 hours on average at maximum power
base di ricarica con spina europea bipolare
european bipolar plug charger
batteria li-ion polimeri 3,7V 2200 mAh
battery li-ion 3,7V 2200 mAh
Trasmissione senza filo: bluetooth 4.0
Wireless transmission: bluetooth 4.0



luce • light

35 led: 20 led bianchi e 15 led colorati - 1,2 W
35 leds: 20 white leds and 15 color leds - 1,2 W



IP 68



Legenda/Legend



Lampadina a LED MAX 1 x 11,5 W
LED bulb MAX 1 x 11,5 W

CL. I

Classe di isolamento: Classe I.
Apparecchio protetto alla scossa elettrica tramite isolamento principale e provvisto di un dispositivo per la messa a terra.
Protection class: Class I
Apparatus protected against electric shock through main insulation, and provided with grounding device.



Classe di isolamento: Classe II.
Con doppio isolamento e/o rinforzo in ogni parte e senza dispositivi per la messa a terra.
Insulation class: Class II.
With double insulation and/or reinforcement in each part and without ground devices.



Classe di isolamento: Classe III
Con isolamento ridotto perchè destinato a essere esclusivamente alimentato da un sistema a bassissima tensione di sicurezza (minore o uguale a 48V dc) e nel quale si generano tensioni di valore superiore a quello di tale sistema.
Insulation class: Class III.
With reduced insulation because the device is destined to be powered exclusively by a safety extra-low voltage system (max. 48V DC or less) in which voltages of values higher than those of such system are generated.



Attesta la conformità del prodotto alle disposizioni delle direttive comunitarie.
It certifies the conformity of the product to the European community instructions.

IP 20

Prodotto di uso ordinario. Protetto contro corpi solidi di diametro superiore a 12,5mm. L'utente non ha comunque modo di entrare in contatto con le parti in tensione. Prodotto con nessuna protezione nei confronti della penetrazione dell'acqua.
Product for ordinary use, protected against solid objects larger than 12.5 mm in diameter. Users cannot however come into contact with the live parts. This product has no water protection.

IP 44

Protetto contro corpi solidi di diametro superiore ad 1 mm. Prodotto resistente agli spruzzi d'acqua.
Protected against solid bodies with a diameter over 1 mm. Splash-resistant product.

IP 67

Totamente protetto contro la penetrazione di polveri. Prodotto resistente all'immersione temporanea massimo ad 1m di profondità. L'icona, dove presente, fa riferimento al corpo lampada.
Totally protected against penetration of dust. Product resistant against temporary immersion in water to a maximum of 1 m depth. Wherever present, the icon refers to the lamp's casing.

IP 68

Totamente protetto contro la penetrazione di polveri. Prodotto resistente alla sommersione permanente in acqua. L'icona, dove presente, fa riferimento al corpo lampada.
Totally protected against penetration of dust. Product resistant against permanent immersion in water. Wherever present, the icon refers to the lamp's casing.



Ai sensi della Direttiva 2012/19/UE, il prodotto, alla fine della sua vita utile, non deve essere smaltito come rifiuto urbano.
According to the Directive 2012/19/UE, once the device life time is ended, it must not be disposed as urban waste.

Tutte le apparecchiature elettriche sono conformi alle direttive 2011/65/UE sulle Restrizioni d'uso di alcune sostanze pericolose (RoHS), recepite in Italia con il D.lgs 04/03/2014 n.27.

All electric equipments meet the Directives 2011/65/UE about the Reduction of the use of certain Hazardous Substances (RoHS), which came into force in Italy with D. Lgs 04/03/2014 n.27.

Avvertenze - Warning:

- Tutte le lampade presenti in questo catalogo dispongono di un kit luce già installato.
- In caso di sostituzione della lampadina, assicurarsi che la presa di corrente sia scollegata.
- Collegare la spina dell'apparecchio in una presa collocata in un luogo protetto dalla pioggia e dagli spruzzi d'acqua.
- L'articolo "Sfera a sospensione" che monta il kit a sospensione (A4596), se utilizzato all'esterno, dovrà essere posizionato in luogo coperto.
- Se il cavo flessibile esterno di questo apparecchio viene danneggiato, deve essere sostituito esclusivamente dal costruttore, dal suo servizio di assistenza, o da personale qualificato equivalente, al fine di evitare pericoli.
- Nelle versioni sprovviste di interruttore sul cavo di alimentazione, collegare la spina dell'apparecchio sotto una presa comandata da interruttore.
- Si sconsiglia l'utilizzo e/o l'installazione dei prodotti luminosi su superfici/pavimentazioni non solide (sabbia, terra, erba, sassi, ghiaia, ecc.). Inoltre, i prodotti luminosi non dovranno essere installati in prossimità (adiacenti e sullo stesso piano) di piscine e/o ambienti d'acqua.
- Gli oggetti luminosi, se allestiti con terra, piante e/o vasi, dovranno essere fissati al suolo con i nostri sistemi di ancoraggio, ove previsti.
- I vasi light outdoor sono dotati di fori di drenaggio all'interno e sul fondo del vaso, oppure di canaletta di scolo. Entrambe le soluzioni servono per favorire la fuoriuscita dell'acqua in eccesso.
- Euro3Plast S.p.A. declina ogni responsabilità per danni causati a cose o a persone da un uso improprio del prodotto.

- All the lamps included in this catalogue are supplied with a light kit already installed.
- Before replacing a bulb make sure that the power plug has been disconnected.
- Connect the plug of the appliance to a power outlet that is located in a sheltered position, protected from rain and water splashes.
- If used outdoors, the article "Suspended light sphere" that mounts the suspension kit (A4596) must be installed in a covered context.
- If the external flexible cable of this appliance is damaged it must be replaced by either the manufacturer, the manufacturer's customer assistance service or by equivalent qualified personnel, in order to prevent possible hazards.
- For models that are not equipped with an inline on/off switch, connect the plug of the appliance to a switch controlled outlet.
- The use and/or installation of illumination devices on instable surfaces/floors or pavement (sand, soil, grass, stones, gravel, etc.) is discouraged. Neither must illumination devices be installed near (adjacent to or on the same level as) swimming pools and/or other water environments.
- If light articles are set up with earth, plants and/or vases, they must be secured to the ground with our anchoring systems, where provided.
- The light outdoor pots have drainage holes inside and on the base, or a drainage tube. Both solutions are to allow excess water to drain away.
- Euro3Plast S.p.A. cannot accept liability for any damage caused to things or persons by an incorrect use of the product.

Warnings

- Before replacing a bulb make sure that the power plug has been disconnected.
- Connect the plug of the appliance to a power outlet that is located in a sheltered position, protected from rain and water splashes.
- If the external flexible cable of this appliance is damaged it must be replaced by either the manufacturer, the manufacturer's customer assistance service or by equivalent qualified personnel, in order to prevent possible hazards.
- For models that are not equipped with an inline on/off switch, connect the plug of the appliance to a switch controlled outlet.
- The use and/or installation of illumination devices on instable surfaces/floors or pavement (sand, soil, grass, stones, gravel, etc.) is discouraged. Neither must illumination devices be installed near (adjacent to or on the same level as) swimming pools and/or other water environments.
- If light articles are set up with earth, plants and/or vases, they must be secured to the ground with our anchoring systems, where provided.
- The light Outdoor pots have drainage holes inside and on the base, or a drainage tube. Both solutions are to allow excess water to drain away.
- Euro3Plast S.p.A. cannot accept liability for any damage caused to things or persons by an incorrect use of the product.

Cleaning instructions - light

- Disconnect the electrical power supply before beginning assembly operations, cleaning and handling the product.
- Clean with a wet sponge with water and a neutral cleaner.
- Wipe clean with a damp cloth.
- It is recommended to avoid using solvents.
- In a case very dirty, clean with euro3plast cleaner.

Attention: permanent exposure to sun may change the original colour.